

Meridian IT Australia

Service Description – mPower Flex

Confidentiality: The material contained in this document and its enclosures represent propriety information pertaining to Meridian IT Australia and remains the property of Meridian IT Australia. The information within the document should not be disclosed or copied for any reason, other than to evaluate the content for its intended purpose.

1. Service Description – mPower Flex

The Parties Meridian IT (“Provider”) and the Client being an entity subscribing to Meridian IT for cloud services; agree that by accessing Meridian IT’s cloud services, you (hereinafter referred to as “The Customer”, “you” and “your”) accept, without limitation or qualification, the terms and conditions contained within this Agreement or Service Description.

2. What is a Service Description

The Provider’s mPower Service Description defines the services offered and specific terms and conditions for each of these Services. This document forms part of our agreement, in conjunction with the master contract.

3. Services

The Provider will deliver the following Services

3.1 Infrastructure as a Service

- The Provider will provide the customer with the ability to consume a private cloud infrastructure service, whereby the customer consumes IBM Power LPARs for their own dedicated use
- mPower Flex service provides the customer with a managed or self-managed IBM AIX operating system with an agreed allocation of cores (Minimum rPerf commitment of 24.6 or 0.1 of a core), RAM, Disk capacity.
- mPower Flex service provides the customer with a managed or self-managed IBM i operating system with an agreed allocation of cores (Minimum cpw commitment of 1678 or 0.1 of a core), RAM, Disk capacity.
- The underlying storage platform for the mPower service will be NVMe flash drives.
- The infrastructure service will be provided to as part of a multi-tenant service.
- Resources to be allocated based on a client by client basis, through provisioning of IBM Power resources.
- The mPower service will be located in Australia in geographically dispersed datacentres. The Equinix Tier III operated datacentres will be located in Sydney (SY5) and Melbourne (ME2)
- The infrastructure will be available on a 24 x 7 basis with an availability Service Level Target of 99.99%, assuming the client has opted for the Disaster Recovery as a Service (DRaaS) option.
- This service is eligible for service rebates where the Service is unavailable as per the General Terms and Conditions. The following rebates apply for this service:

Service	Service Credit
Less than 43 minutes unavailable per calendar month.	No credit
More than 43 minutes but less than 360 minutes during a calendar month.	5% of the Monthly Service Charge
More than 360 minutes during a calendar month.	10% of the Monthly Service Charge

3.2 Software

- a. The Provider will license the software as required based on the Providers “**IBM i Managed Service Provider Licensing (MSP)**” and “**IBM AIX Subscription Licensing.**”.
- b. The Provider will provide per core licensing based on a yearly subscription. The Provider reserves the right to offer per monthly subscriptions on a case by case basis.

3.3 Monitoring & Reporting

- a. **Reporting:** The Provider will provide monthly reports to the Client. The report structure will include:
 - Per client abbreviation
 - Capacity Consumption
 - VM Monitoring: Reports on CPU, Memory, IOPS.
 - Trends - Monthly and on demand
 - General IPC & SLA
 - BAU
 - Network Utilisation Reporting
- b. **Monitoring :** The Provider will be responsible for Remote Monitoring which takes place on a 24 x 7 basis:

Service	Description	Managed Service
Platform Console	Centralised console for management of platform	Provider will manage the Platform console and manage the alters and messages, advising the tenant of any impact to Workload performance or platform availability.
Hardware Monitoring	Hardware across the platform will be monitored.	Provider will manage the “trigger points” informing the tenant of the appropriate action required to maintain the system within the thresholds and carry out rectification work
Performance Monitoring	Monitor system, workload performance.	Provider will monitor all aspects of the system performance informing tenant of the appropriate action required to maintain the system within the thresholds and carry out rectification work.
Backup as a Service Monitoring (BaaS)	Monitor the backup policies, schedules and (optional) replication status for secondary copies	Where BaaS has been purchased, the Provider will monitor and manage the backup devices and ensure that the backups are working in accordance with the schedule, policies and retention.
Disaster Recovery Monitoring (DRaaS)	Monitor the replication policies, schedules, and status	Where DRaaS has been purchased, the Provider will monitor the DR process and the infrastructure to ensure that a DR invocation can be successfully managed.

3.4 Support and Maintenance

- a. The Provider will provide 24x7 support of the platform infrastructure. This service includes platform incident detection, escalation to the vendor if necessary, and issue resolution. Platform availability remains the responsibility of the Provider.
- b. Where the Client purchases additional services such as Operating System support, this will incur an additional Managed Service cost.
- c. Technical Support by the Provider is based on Australian Eastern Standard time zones.

3.5 IP Addressing

The Provider will assign IP addresses for client use. All IP addresses remain the property of the Provider and cannot be transferred out of the network.

- a. **Public IP Allocation:** For workloads that require internet-facing access, the Provider offers a pool of public IP addresses, ensuring secure, reliable connectivity to external networks and customers. Each Pool of Public IP addresses is available in blocks of 2, 6 and 14 contiguous IP addresses

3.6 Security Posture

The Provider adheres to security and data management practice ISO27001 and ISO9001.

- a. The Provider (MITA) will be responsible for providing hosting facilities in a Tier III secure environment that operate on a 24 x 7 basis.
- b. The Provider (MITA) will be responsible for maintaining the security posture in accordance with ISO27001 – Information security, ISO9001 – Quality Assurance
- c. **Resource Isolation:** Each tenant will be isolated from other tenants via the implementation of dedicated LPARs for each workload.
- d. **Data Encryption:** The Provider will provide encryption of data in transit and at rest on Infrastructure provided as part of the service.
 - **Data-in-transit:** data in transit is encrypted using SSL/TLS protocols
 - **Data-at-rest:** data at rest is encrypted with AES-256 encryption algorithms

3.7 Platform High Availability

- a. **Local Snapshots:** The platform provides the option for the Client to use point-in-time snapshots of production data. Snapshots can be stored locally on the same platform as the LPAR or a replica copy of the source volume, including snapshots, can be stored at the secondary site (if the DRaaS option is selected). Snapshot capacity is counted towards the consumed capacity for each tenant.
- e. **Disaster Recovery (DRaaS): The Provider includes an option for Disaster Recovery.**
 - **RPO:** The DRaaS supports a default Recovery Point Objective (RPO) of 30 minutes. For specific use cases an RPO of 15 minutes is available under the discretion of the Provider. *Note: RPO is the amount of data loss that can be tolerated.*
 - **RTO:** The DRaaS supports a Recovery Time Objective (RTO) of 1 hour.
 - **Protection Domains:** The Provider can provide **Protection Domains** for workloads. Protection Domain is a logical construct that groups workloads together for the purposes of data replication and failover.
 - **DR Resources:** The Provider will provide the technical assistance required to invoke and carry out the DR processes, bringing platforms into production. DR can be initiated by the tenant on request (maximum of one failover & failback event every 12 months) or due to an unplanned event. The Provider will inform the client of failover events within 1 hour of unplanned failover.
 - **DR Failover Testing:** The Provider will be responsible for any DR test as requested by the Client.

3.8 Contract Term

The contract term will be agreed between the Provider and the Client.

Termination fees will apply if the contract is ended before the contract term is reached